









# MG AIR




## MG 2050K 2PASS






**P/N 2G7003###**



**P/N 2G7004###**



**P/N 2G7012###**  
**P/N 2G7024###**



**P/N 2G7056###**

Le dimensioni di ingombro e le caratteristiche tecniche non sono impegnative  
Over-all dimensions and technical characteristic are not binding




## Dati tecnici Technical Data


P/N	V	Hz	kW(±10%)	A(±10%)	rpm	Ø Fan	dB (A)	(m³/ h)	IP	It	Kg
2G7003###	230-400 AC	50	0,52	1,9 - 1,1	1450	450	76	5000	54	5	27
	230-400 AC	60	0,66		1690						
2G7004###	230-400 AC	50	0,75	3,0-1,7	1440	450	79	5200	55	5	30
	230-400 AC	60	0,86		1750						
2G7012###	12 DC	/	0,13 (2x)	11,0 (2x)	2340	280	76	1720(2x)	68	5	24
2G7024###	24 DC	/	0,15 (2x)	6,2 (2x)	2600	280	79	1750(2x)	68	5	24
2G7056###	Prepared for Gr.2 hydraulic motor				☒	450	☒	☒	/	5	23

☒ Contattare EMMEGI Contact EMMEGI

## Diagramma rendimento Performance diagram



## Perdite di carico Pressure drop (ISO VG 32)



## Fattore di correzione-F-(perdite di carico) Correction factor-F-(Pressure drop)

cst	10	15	20	30	40	50	60	80	100	200	300
F	0,5	0,65	0,77	1	1,2	1,4	1,6	1,9	2,1	3,3	4,3